

LISTING OF THE CLAIMS

This listing of claims will replace all prior versions, and listings, of claims in the application:

LISTING OF CLAIMS

1. (Previously Presented) A mobile communication device comprising:
 - a plurality of functions to support a plurality of activities to be performed using the mobile communication device, the activities including at least a call activity;
 - a navigation button; and
 - a menu driver to facilitate a user to navigate directly from one activity to another, in response to user inputs provided through the navigation button, the menu driver adapted to:
 - facilitate a user in navigating, in a sequence comprising navigating from any state of a first activity to an initial state of a second activity, from the initial state of the second activity to a selected state of the second activity, and from the selected state to any state of a third activity, each facilitated without interveningly navigating to any other navigational states capable of receiving user input, the second activity different from the first and third activities;
 - saving the selected state of the second activity; and
 - enabling subsequent re-entry into the saved selected state of the second activity from the any state of the third activity without interveningly navigating to any other navigational state capable of receiving user input.
2. (Previously Presented) The mobile communication device of claim 1, wherein the second activity is an activity selected from a call activity, a chat activity, a radio activity, and a web browsing activity; and
 - the first and third activities are different activities selected from the call activity, the chat activity, the radio activity, and the web browsing activity.
3. (Original) The mobile communication device of claim 1, wherein the menu driver is further designed to facilitate a user to interact with selectable sub-activities of an activity as a nested scrollable list of selectable sub-activities of the activity.

4. (Original) The mobile communication device of claim 1, wherein the mobile communication device comprises a wireless mobile phone.

5. (Currently Amended) A mobile communication device comprising:
a plurality of functions to support a plurality of activities to be performed using the mobile communication device, ~~the activities including at least a call activity;~~

a navigation button; and

a menu driver to facilitate a user to navigate directly from one activity to another, in response to user inputs provided through the navigation button, the menu driver adapted to:

facilitate the user in navigating, in a sequence comprising navigating from any state of a first activity to an initial state of a second activity, from the initial state of the second activity to a selected state of the second activity, and from the selected state to any state of a third activity, each facilitated without interveningly navigating to any other navigational states capable of receiving user input, the second activity different from the first and third activities;

save the selected state of the second activity; and

enable subsequent re-entry into the saved selected state of the second activity from the any state of the third activity without interveningly navigating to any other navigational state capable of receiving user input;

wherein the menu driver is further configured to facilitate a user to navigate among selectable sub-activities of an expandable sub-activity of one of said first, second or third activity, including presenting the selectable sub-activities as a scrollable list nested in a presentation of the activity, the scrollable list replacing the expandable sub-activity and displaying only a one of the selectable sub-activities at a time.

6 (Original) The mobile communication device of claim 5 wherein the activity is a selected one of a call activity, a chat activity, a radio activity, and a web browsing activity.

7. (Original) The mobile communication device of claim 5, wherein the mobile communication device comprises a wireless mobile phone.

8. (Currently Amended) In a mobile communication device, a method of operation, comprising:

facilitating a user in navigating, in a sequence comprising navigating from any state of a first activity to an initial state of a second activity, from the initial state of the second activity to a selected state of the second activity, and from the selected state to any state of a third activity, each facilitated without interveningly navigating to any other navigational states capable of receiving user input, the second activity different from the first and third activities;

saving the selected state of the second activity; and

enabling subsequent re-entry into the saved selected state of the second activity from the any state of the third activity without interveningly navigating to any other navigational state capable of receiving user input;

wherein the method further comprising

receiving a user navigation input while in either the first or third activity; and

in response, navigating directly from thea first or third activity to the saved selected state of thea second activity, including saving a first state of the first activity from which the user is navigating from, to enable subsequent re-entry into the first activity at the first state, and entering into a second state of the second activity to which the user is navigating to, the second state being the state in which the user last left the second activity.

9. (Original) The method of claim 8, wherein
the first activity is an activity selected from a call activity, a chat activity, a radio activity, and a web browsing activity; and

the second activity is a different activity selected from the call activity, the chat activity, the radio activity, and the web browsing activity.

10. (Previously Presented) The method of claim 9, further comprising facilitating a user in interacting with selectable sub-activities of an activity as a nested scrollable list of selectable sub-activities of the activity.

11. (Currently Amended) In a mobile communication device, a method of operation, comprising:

facilitating a user in navigating, in a sequence comprising navigating from any state of a first activity to an initial state of a second activity, from the initial state of the second activity to a selected state of the second activity, and from the selected state to any state of a third activity, each facilitated without interveningly navigating to any other navigational states capable of receiving user input, the second activity different from the first and third activities;

saving the selected state of the second activity; and

enabling subsequent re-entry into the saved selected state of the second activity from an any state of the third activity without interveningly navigating to any other navigational state capable of receiving user input,

wherein the method further comprises:

receiving a user navigation input; and

in response, navigating among a plurality of selectable sub-activities of an expandable sub-activity of ~~an~~ one of said first, second or third activit[[y]]ies, including presenting the selectable sub-activities as a scrollable list nested in a presentation of the activity, the scrollable list replacing the expandable sub-activity and displaying only a one of the selectable sub-activities at a time.

12. (Original) The mobile communication device of claim 11, wherein the activity is a selected one of a call activity, a chat activity, a radio activity, and a web browsing activity.

13. (Previously Presented) The mobile communication device of claim 1 wherein the first and third activities are the same activity.

14. (Previously Presented) The mobile communication device of claim 1 wherein the any state of the first activity and the any state of the third activity are the same state.